



Please complete ALL information below and fax your request to 1-888-671-5285

Epogen®, Procrit®, & Retacrit® Prior Authorization Request Form (Page 1 of 3)

DO NOT COPY FOR FUTURE USE. FORMS ARE UPDATED FREQUENTLY AND MAY BE BARCODED

Member Information (required)			Provider Information (required)		
Member Name:			Provider Name:		
Insurance ID#:			NPI#:	Specialty:	
Date of Birth:			Office Phone:		
Street Address:			Office Fax:		
City:	State:	Zip:	Office Street Address:		
Phone:			City:	State:	Zip:

Medication Information (required)

Medication Name:	Strength:	Dosage Form:
<input type="checkbox"/> Check if generic substitution is acceptable	Directions for Use:	
<input type="checkbox"/> Check if request is for continuation of therapy		

Clinical Information (required)

Select the diagnosis below:

- Anemia due to chronic kidney disease
- Anemia in cancer patients on chemotherapy
- Anemia in hepatitis C virus (HCV)-infected patients due to ribavirin in combination with interferon or peg-interferon
- Anemia in HIV-infected patients
- Anemia in patients with myelodysplastic syndrome (MDS)
- Preoperative use for reduction of allogeneic blood transfusion in patients undergoing surgery
- Other diagnosis: _____ ICD-10 Code(s): _____

For anemia due to chronic kidney disease, answer the following:

- Is the patient on dialysis? Yes No
- Has the patient been evaluated for adequate iron stores? Yes No
- Please provide the hemoglobin (Hgb) and hematocrit (Hct) levels collected within **30 days** of this request:
 Hemoglobin (Hgb): _____ Date: _____ Hematocrit (Hct): _____ Date: _____
- Does the rate of hemoglobin decline indicate the likelihood of requiring a red blood cell (RBC) transfusion? Yes No
- Is the goal of therapy to reduce the risk of alloimmunization and/or other RBC transfusion-related risks? Yes No
- For **Epogen** requests:
- Is this request for continuation of prior therapy? Yes No
- Select if the patient has history of use or unavailability of the following:
- Aranesp
 - Retacrit

Reauthorization:

- Has the patient been evaluated for adequate iron stores? Yes No
- Is there a decrease in the need for blood transfusion? Yes No
- Has the hemoglobin increased greater than or equal to 1 g/dL from pre-treatment level? Yes No
- Document the hemoglobin (Hgb) and hematocrit (Hct) levels collected from the past 3 months:
- Hgb: _____ Hct: _____ Date: _____
- Hgb: _____ Hct: _____ Date: _____
- Hgb: _____ Hct: _____ Date: _____

This document and others if attached contain information that is privileged, confidential and/or may contain protected health information (PHI). The Provider named above is required to safeguard PHI by applicable law. The information in this document is for the sole use of FutureScripts. Proper consent to disclose PHI between these parties has been obtained. If you received this document by mistake, please know that sharing, copying, distributing or using information in this document is against the law. **If you are not the intended recipient, please notify the sender immediately.**



Epogen[®], Procrit[®], & Retacrit[®] Prior Authorization Request Form (Page 2 of 3)

DO NOT COPY FOR FUTURE USE. FORMS ARE UPDATED FREQUENTLY AND MAY BE BARCODED

For anemia in cancer patients on chemotherapy, answer the following:

Have all other causes of anemia been ruled out? Yes No

Please provide the hemoglobin (Hgb) and hematocrit (Hct) levels collected within **the prior two weeks** of this request:

Hemoglobin (Hgb): _____ Date: _____ Hematocrit (Hct): _____ Date: _____

Has the patient been evaluated for adequate iron stores? Yes No

Is the cancer a non-myeloid malignancy? Yes No

Is the patient concurrently on chemotherapy? Yes No

Will the patient be receiving concomitant chemotherapy for a minimum of 2 months? Yes No

Is the anemia caused in part by cancer chemotherapy? Yes No

For **Epogen** requests:

Is this request for continuation of prior therapy? Yes No

Select if the patient has history of use or unavailability of the following:

Aranesp Retacrit

Reauthorization:

Please provide the hemoglobin (Hgb) and hematocrit (Hct) levels collected within **the prior two weeks** of this request:

Hemoglobin (Hgb): _____ Date: _____ Hematocrit (Hct): _____ Date: _____

Is there a decrease in the need for blood transfusion? Yes No

Has the hemoglobin increased greater than or equal to 1 g/dL from pre-treatment level? Yes No

Is the patient concurrently on chemotherapy? Yes No

Will the patient be receiving concomitant chemotherapy for a minimum of 2 months? Yes No

Is the anemia caused in part by cancer chemotherapy? Yes No

For anemia in HCV-infected patients due to ribavirin in combination with interferon or peg-interferon, answer the following:

Does the patient have a diagnosis of hepatitis C virus (HCV) infection? Yes No

Has the patient been evaluated for adequate iron stores? Yes No

Please provide the hemoglobin (Hgb) and hematocrit (Hct) levels collected within **30 days** of this request:

Hemoglobin (Hgb): _____ Date: _____ Hematocrit (Hct): _____ Date: _____

Is the patient receiving ribavirin? Yes No

Is the patient receiving interferon alfa-2b, interferon alfacon-1, peginterferon alfa-2b, or peginterferon alfa-2a? Yes No

For **Epogen** requests:

Is this request for continuation of prior therapy? Yes No

Does the patient have history of Retacrit use or is Retacrit unavailable? Yes No

Reauthorization:

Is there a decrease in the need for blood transfusion? Yes No

Has the hemoglobin increased greater than or equal to 1 g/dL from pre-treatment level? Yes No

Document the hemoglobin (Hgb) and hematocrit (Hct) levels collected from the past 3 months:

Hgb: _____ Hct: _____ Date: _____

Hgb: _____ Hct: _____ Date: _____

Hgb: _____ Hct: _____ Date: _____

For anemia in HIV-infected patients, answer the following:

Has the patient been evaluated for adequate iron stores? Yes No

Please provide the hemoglobin (Hgb) and hematocrit (Hct) levels collected within **30 days** of this request:

Hemoglobin (Hgb): _____ Date: _____ Hematocrit (Hct): _____ Date: _____

Is the serum erythropoietin level less than or equal to 500 mU/mL? Yes No

Is the patient receiving zidovudine therapy? Yes No

Does the patient have a diagnosis of HIV infection? Yes No

For **Epogen** requests:

Is this request for continuation of prior therapy? Yes No

Does the patient have history of Retacrit use or is Retacrit unavailable? Yes No

< continued on the next page >



Epogen[®], Procrit[®], & Retacrit[®] Prior Authorization Request Form (Page 3 of 3)
DO NOT COPY FOR FUTURE USE. FORMS ARE UPDATED FREQUENTLY AND MAY BE BARCODED

< continued from the previous page >

Reauthorization:

Is there a decrease in the need for blood transfusion? Yes No

Has the hemoglobin increased greater than or equal to 1 g/dL from pre-treatment level? Yes No

Document the hemoglobin (Hgb) and hematocrit (Hct) levels collected from the past 3 months:

Hgb: _____ Hct: _____ Date: _____

Hgb: _____ Hct: _____ Date: _____

Hgb: _____ Hct: _____ Date: _____

For anemia in patients with myelodysplastic syndrome (MDS), answer the following:

Is the serum erythropoietin level less than or equal to 500 mU/mL? Yes No

Does the patient have transfusion-dependent MDS? Yes No

Has the patient been evaluated for adequate iron stores? Yes No

For **Epogen** requests:

Is this request for continuation of prior therapy? Yes No

Select if the patient has history of use or unavailability of the following:

Aranesp

Retacrit

Reauthorization:

Is there a decrease in the need for blood transfusion? Yes No

Has the hemoglobin increased greater than or equal to 1 g/dL from pre-treatment level? Yes No

Document the hemoglobin (Hgb) and hematocrit (Hct) levels collected from the past 3 months:

Hgb: _____ Hct: _____ Date: _____

Hgb: _____ Hct: _____ Date: _____

Hgb: _____ Hct: _____ Date: _____

For preoperative use for reduction of allogeneic blood transfusion in patients undergoing surgery, answer the following:

Is the patient scheduled to undergo elective, non-cardiac, non-vascular surgery? Yes No

Is the hemoglobin (Hgb) > 10 to ≤ 13 g/dL? Yes No

Is the patient at high risk for perioperative transfusions? Yes No

Is the patient willing or able to donate autologous blood pre-operatively? Yes No

Has the patient been evaluated for adequate iron stores? Yes No

For **Epogen** requests:

Is this request for continuation of prior therapy? Yes No

Does the patient have history of Retacrit use or is Retacrit unavailable? Yes No

Are there any other comments, diagnoses, symptoms, medications tried or failed, and/or any other information the physician feels is important to this review?

Please note: This request may be denied unless all required information is received.